

Department of Finance Purchasing Division

Two Centennial Plaza 805 Central Avenue, Suite 234 Cincinnati, Ohio 45202-1947

### CORRECTION

Reginald E. Zeno
Director of Finance

Patrick A. Duhaney Chief Procurement Officer City Purchasing Agent

DATE 05/06/2016

**BUYER** Nathan Dronen

**CORRECTION NUMBER 1** 

**ORIGINAL INVITATION DATE 04/27/2016** 

Your attention is called on an "Invitation to Bid" mailed from this office under the below reference number and on which it is found necessary to make the following correction.

This correction should be considered in submitting your proposal and should be attached to the original "Invitation to Bid" and made a part there of.

ITEM DESCRIPTIONREFERENCE NUMBERBIDS DUE 12PM ETNine (9) Vans162P90136605/12/2016

1) Hereby delete the entire pricing table and replace with the following:

(See Next Page)

Line No.	Comm. Code	Commodity Description	No. of Units	Unit Price	Extended Price
01	070-93	VANS, PERSONNEL (REGULAR AND HANDICAPPED EQUIPPED) – 2016 Ford Transit Wagon 350 XL, 15 Passenger Low Roof Van or equivalent manufacturer standard white	3		
02	070-93	VANS, PERSONNEL (REGULAR AND HANDICAPPED EQUIPPED)— 2016 Ford Transit Wagon 250 XL, 12 Passenger Low Roof Van or equivalent manufacturer standard white	1		
03	070-92	VANS, CARGO– 2016 Ford Transit 250 Low Roof Panel Van or equivalent manufacturer standard white	1		
04	070-92	VANS, CARGO- 2016 Ford Transit 250 Low Roof Panel Van or equivalent manufacturer standard white	1		
05	070-92	VANS, CARGO – 2016 Ford Transit Connect XL LWB or equivalent manufacturer standard white	1		
06	070-92	VANS, CARGO – 2016 Ford Transit Connect XL SWB or equivalent manufacturer standard white	1		
07	070-92	VANS, CARGO- 2016 Ford E-450 Utility Body Van or equivalent manufacturer standard white	1		

#### 2) Hereby delete the specs and replace with the following:

(See Next Page)

Line 01 - 2016 Ford Transit Wagon 350 XL, 15 Passenger, Low Roof (or approved equal)

		CON	1PLY	
SPECIFICATION	DESCRIPTION	YES	NO	LIST DEVIATION
	POWERTRAIN			
Engine:	3.2L I-5 Power Stroke Diesel			
Transmission:	6 Speed Automatic Overdrive			
Drive:	2 Wheel drive			
Fuel:	Diesel			
Alternator:	Heavy Duty 220 amp			
GVWR:	9,000 Lbs.			
	CHASSIS			
Brakes:	4 wheel disc antilock brake system			
Body Length:	Long wheelbase, extended length wagon 237.6"			
Wheel Base:	148"			
Tires:	215/55 R16 97H XL All Season Tires			
Rims:	16" Steel with Black Hubcaps			
Spare Tire:	Full Size			
-	EXTERIOR			
Color:	Mfg. standard white			
Body Side Molding:	Mfg. Standard			
	Sliding Passenger Side Cargo Door			
Doors:	50/50 rear hinge door with 237 degree opening with fixed rear windows			
Bumper:	Mfg. Standard			
Mirrors:	Power			
	INTERIOR			
Color:	Darkest available			
Seating:	15 passenger capacity			
	Vinyl if available			
	6-way Manual Driver Seat			
	4-way Manual Passenger Seat			
	Second, Third, Fourth Row 3-Passenger 60/40 Fold-Flat Bench Seat			
Flooring:	Vinyl			
Rear Lighting:	Rear Compartment Lighting			
Air	Manual Front			

Conditioner:	Rear-seat Climate control (includes rear compartment A/C and heater w/manual rear controls)		
Radio:	Standard AM/FM		
Steering Wheel:	4-way Adjustable Steering Column		
Windows:	Power		
	Rear door privacy glass		
Door Locks:	Power		
	SAFETY		
	Driver and Passenger Front		
Air Bage	Driver and Passenger Side		
Air Bags:	First, Second, & Third Row Safety Canopy Side-Curtain		
	OPTIONS		
Backup Alarm:	Yes		
Keys:	4 sets w/ Fobs		

Line 02 - 2016 Ford Transit Wagon 250 XL, 12 Passenger, Low Roof (or approved equal)

Line 02 - 2016 Ford Transit Wagon 250 XL, 12 Passenger, Low Roof (or approved equal)					
SPECIFICATION	DESCRIPTION			LIST DEVIATION	
		YES	NO		
	POWERTRAIN				
Engine:	3.2L I-5 Power Stroke Diesel				
Transmission:	6 Speed Automatic Overdrive				
Drive:	2 Wheel drive				
Fuel:	Diesel				
Alternator:	Heavy Duty 220 amp				
GVWR:	8,600 Lbs.				
	CHASSIS				
Brakes:	4 wheel disc antilock brake system				
Body Length:	13.4 ft				
Roof Height:	Low Roof				
Wheel Base:	148"				
Tires:	215/55 R16 97H XL All Season Tires				
Rims:	16" Steel with Black Hubcaps				
Spare Tire:	Full Size				
	EXTERIOR				
Color:	Mfg. standard white				
Body Side	Mfg Standard				
Molding:	Mfg. Standard				
Bumper:	Mfg. Standard				
Doors:	Sliding Passenger Side Cargo Door				

	50/50 rear hinge door with 237 degree	
	opening with fixed rear windows	
Mirrors:	Power	
	INTERIOR	
Color:	Darkest available	
	12 passenger capacity	
	Vinyl if available	
Seating:	6-way Manual Driver Seat	
Seating.	4-way Manual Passenger Seat	
	Second, Third, Fourth Row 3-Passenger 60/40 Fold-Flat Bench Seat	
Flooring:	Vinyl	
Rear Lighting:	Rear Compartment Lighting	
Air	Manual	
Conditioner:	ivialiual	
Radio:	Standard AM/FM	
Steering Wheel:	4-way Adjustable Steering Column	
Windows:	Power	
willidows.	Rear Privacy Glass	
Door Locks:	Power	
	SAFETY	_
	Driver and Passenger Front	
Air Bags:	Driver and Passenger Side	
	First, Second, & Third Row Safety Canopy	
	Side-Curtain	
	OPTIONS	
Backup Alarm:	Factory installed if available	
Keys:	4 sets w/ Fobs	

## Line 03 - 2016 Ford Transit 250 Regular Wheelbase Low Roof Panel Van (or approved equal) specification.

CDECIFICATION	DESCRIPTION	COMPLY		LICT DEVIATION
SPECIFICATION	DESCRIPTION	YES	NO	LIST DEVIATION
	POWERTRAIN			
Alternator:	Heavy duty 220 amp			
Engino	3.7L Ti-VCT V6			
Engine:	CNG/LPG Gaseous Engine Prep Package			
Transmission:	6 Speed Automatic.			
Drive:	Front -engine, rear-wheel drive			
Fuel:	Gasoline			
GVWR:	9,000 Lbs.			
	CHASSIS			

Brakes:	4 wheel disc antilock brake system
<b>Body Style:</b>	Panel Van
Roof Height:	82.2"
Wheel Base:	130.0"
Tires:	235/65R16 BSW all-season (SRW)
Wheels:	Manufacturer Standard 16" wheels
Rims:	Std. for model bid
Spare Tire:	Full Size
	EXTERIOR
Color:	Mfg. standard white
Body Side Molding:	Mfg. Standard
	60/40 hinged cargo door
Doors:	50/50 rear hinge door with 180 degree opening with fixed rear windows
Mirrors:	Mfg standard
	INTERIOR
Color:	Darkest available
Flooring:	Vinyl front only
Air Conditioner:	Manual front
Radio:	Standard AM/FM
Windows:	Power Front
Door Locks:	Power SAFETY
Air Bags:	Driver and front passenger
Backup Alarm:	Dealer or Mfg installed
Rearview Camera:	Dealer or Mfg installed
Calliela.	OPTIONS
Keys:	4 sets total
Keys.	4 5ELS LULAI

# Line 04 - 2016 Ford Transit 250 Regular Wheelbase Low Roof Panel Van (or approved equal) specification.

- oquai, opcom	33.3.3.3			
SPECIFICATION	DESCRIPTION	COMPLY		LICT DEVIATION
SPECIFICATION	DESCRIPTION	YES	NO	LIST DEVIATION
	POWERTRAIN			
Alternator:	Heavy duty 220 amp			
Engine:	3.7L Ti-VCT V6			
	CNG/LPG Gaseous Engine Prep Package			
Transmission:	6 Speed Automatic			
Drive:	Front -engine, rear-wheel drive			
Fuel:	Gasoline			_

GVWR:	9,000 Lbs.	
	CHASSIS	
Brakes:	4 wheel disc antilock brake system	
<b>Body Style:</b>	Panel Van	
Roof Height:	82.2"	
Wheel Base:	130.0"	
Tires:	235/65R16 BSW all-season (SRW)	
Wheels:	Manufacturer Standard 16" wheels	
Rims:	Std. for model bid	
Spare Tire:	Full Size	
	EXTERIOR	
Color:	Mfg. standard white.	
Body Side Molding:	Mfg. Standard	
Doors:	60/40 hinged passenger side cargo door	
	50/50 rear hinge door with 180 degree	
	opening with fixed rear windows	
Mirrors:	Long Arm Power	
	INTERIOR	
Color:	Darkest available	
Flooring:	Vinyl front only	
Air	Manual front	
Conditioner:	Wandariione	
Radio:	Standard AM/FM	
Windows:	Power	
Door Locks:	Power	
	SAFETY	
Air Bags:	Driver and front passenger	
Backup Alarm:	Dealer or Mfg Installed	
Rearview	Standard	
Camera:		
	OPTIONS	
Keys:	4 sets total.	
Bulkhead:	Weather Guard Model 96311-3-01 Window Bulkhead (or equivalent) Installed	

### Line 05 - 2016 Ford Transit Connect XL LWB or approved equal

CDECIFICATION	DESCRIPTION	COMPLY		LICT DEVIATION
SPECIFICATION		YES	NO	LIST DEVIATION
	POWERTRAIN/FUNCTI	ONAL		
Engine:	2.5L I-4 Gasoline			

Transmission:	6 Speed Automatic w/Front wheel drive	
Steering:	Electric power assisted steering	
Fuel Tank:	15.8 Gallon	
Tires/Wheels:	16" radials w/wheel covers	
Spare Tire:	Full Size	
Wheel Base:	120.6"	
Body Length:	189.7"	
Body Width:	72.2"	
	EXTERIOR	
Color:	Mfg. standard white.	
	Dual sliding side doors	
Doors:	180 degree swing out door with fixed	
	glass	
	INTERIOR	
Color:	Darkest available	
Seats:	Driver & Front passenger darkest vinyl	
	available, No Second Row Seating	
Flooring:	Vinyl front only, darkest available	
Air	Manual front	
Conditioner:		
Radio:	Standard AM/FM	
Windows:	Power	
Door Locks:	Power	
Cargo Area:	Floor mounted cargo tie downs	
Lighting:	Rear cargo area lighting	
Power points:	Front & rear power points	
	SAFETY	
Air Bags:	Driver and front passenger	
	OPTIONS	
Keys:	4 sets total	
Partition:	Adrian Steel P2TCS14 steel partition or	
	approved equal	

### Line 06 - 2016 Ford Transit Connect XL SWB or approved equal

SPECIFICATION	DESCRIPTION	COMPLY		LIST DEVIATION
SPECIFICATION	DESCRIPTION	YES NO		
	POWERTRAIN/FUNCTION	AL		
Engine:	2.5L I-4 Gasoline			
Transmission:	6 Speed Automatic w/Front wheel drive			
Steering:	Electric power assisted steering			
Fuel Tank:	15.8 Gallon			

Tires/Wheels:	16" radials w/wheel covers	
Spare Tire:	Full Size	
Wheel Base:	104.8"	
Body Length:	189.7"	
Body Width:	72.2"	
	EXTERIOR	
Color:	Mfg. standard white.	
Doors:	Dual sliding side doors w/Fixed glass	
Doors.	180 degree swing out door with fixed glass	
	INTERIOR	
Color:	Darkest available	
Seats:	Driver & Front passenger darkest vinyl available, No Second Row Seating	
Flooring:	Vinyl front only, darkest available	
Air Conditioner:	Manual front	
Radio:	Standard AM/FM	
Windows:	Power	
Door Locks:	Power	
Cargo Area:	Floor mounted cargo tie downs	
Lighting:	Rear cargo area lighting	
Powerpoints:	Front & rear powerpoints	
	SAFETY	
Air Bags:	Driver and front passenger	
	OPTIONS	
Keys:	4 sets total	

### Line 07 - Ford E-450 Utility Body Van (or approved equal) specification.

SPECIFICATION	DESCRIPTION	COMPLY		LICT DEVIATION
SPECIFICATION		YES	NO	LIST DEVIATION
Mechanical	14,500 GVWR			
	Altenator - Heavy-Duty 155 Amp.			
	Brakes - 4 wheel disc anti-locking			
	Brakes - Antilocking			
	Engine 6.8L EFI V-10 Gasoline			

	Fuel Tank - 40 Gallon	 	
	Heavy Duty 78 AMP.	 	
	Integrated Trailer Brake Controller	 	
	Power Windows	 	
	Stearing Gear - Heavy Duty	 	
	Steering - Power	 	
	Tire Preasure Monitoring System	 	
	Tires - LT225.75Rx16E BSW A/S	 	
	Transmission, Automatic, 6 Speed	 	
	Overdrive	 	
Exterior	Dual sealed beams	 	
	License Plate Bracket	 	
	Manual Telescopic trailer tow mirros		
	with power adjust flat lens.  Manufacturer Standard White	 	
	Spare wheel & tire	 	
	Wheelbase 176" Wheels - 16"x 6" Painted white steel	 	
	wheels		
	A/C - Manual	 	
	Airbag - Dirver & Passenger Side	 	
	Darkest available interior	 	
	Floor Covering - Vinyl	 	
	Headliner - front, molded vinyl faced		
	Intrument Panel Electronic Message	 	
	Center (Ford Option 60J)		
	Manufacturer Standard AM/FM Stereo	 	
	Power Door Locks	 	
	Powerpoints - Double 12V	 	
	Seats, vinyl, High Back	 	
	Tilt stearing wheels	 	
Body	Knapheide Model KUV153HGJ or approved equal		

Body Dimension		
Body Length: 153.25"	 	
Body Height: 90"	 	
Body Width: 94"	 	
Clear Door Width: 61.1"	 	
Clear Door Height: 65.5"		
Interior Clear Height: 75.8"		
Constructed from 14 GA. Galvaneal		
Steel (except doors).	 	
Compartments		
Two (2) Adjustable divider shelves in all street & curb side front vertical		
compartments		
One (1) Adjustable divider shelf in all		
street and curb side rear vertical		
Compartments  One (1) Adjustable divider shelf in the	 	
One (1) Adjustable divider shelf in the curbside horizontal compartment.		
Two (2) Adjustable/Removable shelves	 	
on each sided in canopy roof.		
Two (2) rear access doors with rivetless	 	
latch on upper roof structure, stainless		
steel "piano" type hinges w/ stainless steel full length pin interior sliding		
plexiglass doors.		
Double spring over center door		
retainers on all vertical doors.		
Automotive "bulb" type neoprene door		
seals on side compartment doors	 	
Rivettless rotary slam latches on all side		
doors.	 	
Solid 14 GA. Galvaneal steel front bulkhead and door with 9" x 14" glass		
window, latch and ball bearing rollers.		
<del>-</del>		

20 GA. Steel double panel rear doors w/slam latches and 9"x30" glass windows and interior window guards			
Side mount ladder racks (Knapheide #20062253 or equivalent)	 		
Upper Side Panel Glass			
Thirty two (32) dividers for 12" shelves	 		
Wind deflector above cab	 		
Body to cab seal	 		
Grab handle at right rear in cargo area Two (2) 5-drawer mechanics toolboxes with heavy duty guides and 1" riser, one (1) drawer in each front vertical compartment (Knapheide #50198010 and #50198090 or equivalent "FMVSS" Flush mounted light kit with all kit with all required lights and reflectors Two (2) interior dome lights All required mounting kits Rear "Galva-Grip" step bumper (Knapheide #26052472 or equivalent)			
Inverter			
inverter			
Inverter: Dimensions #12/300N sign wave invertor or equivalent, 25 amp AC continuous output with 91 AMP AC peak output.	 		
Inventor is to have:			
Thermally controlled cooling fan	 		
Enclosed AC and DC cable connection	 		
Remote on/off switch hook up	 	-	
GFCI Outlet protection	 	-	
L.E.D. Indication of: External Power, Inverter Power, Low Input Voltage, High Temperature Overload	 		

Crane: Venturo #CT2003 FB Heavy duty mast service crane or Equivalent		
2,000# Capacity at 3' (6,000 Ft. Lbs.)	 	
Mounted in right rear interior corner of service body		
12 Volt DC heavy duty		
High speed motor	 	
Manual rotation with 8 position positive pin lock.		
Manual telescopic folding boom	 	
35' of 3/16" wire rope and safety hook		
Swivel load block	 	
15' Plug in remote control pendant	 	
Mounting socket - Type C - surface mount	 	
25' of #4 GA. Battery cable	 	
Master disconnect switch, to be operated in the cab of truck	 	

Crane

3) Bids are now due on May 12, 2016 at 12:00 PM ET.4) All other terms and conditions of the bid package remain in full force and effect